
SECTION V – REACTIVITY DATA

<u>Hazardous Polymerization:</u>	Cannot occur
<u>Stability:</u>	Stable
<u>Incompatibility:</u>	Avoid contact with strong oxidizing agents.
<u>Hazardous decomposition or byproducts:</u>	Under fire conditions: Fumes, smoke, carbon monoxide, and other decomposition products, in the case of incomplete combustion.

SECTION VI – HEALTH HAZARD DATA

Carcinogenicity: A constituent of this product is listed by NTP, or IARC. Talc contains crystalline silica at levels greater than .1% but less than 1.0%. IARC has determined silica to be a class 2A carcinogen. NTP has classified crystalline silica as reasonably anticipated to be a carcinogen. However, in this product the silica is not breathable. This product contains ethanol, IARC has determined that exposure to alcohol through chronic human consumption can cause cancer.

Primary Routes of Entry: Inhalation and skin contact.

Effects of Chronic Overexposure: Overexposure to ethanol has apparently been found to cause the following effects in laboratory animals: Liver abnormalities and kidney damage.
Overexposure to ethanol has been suggested as a cause of the following effects in humans: liver abnormalities and eye damage.

FIRST AID PROCEDURES:

Skin Contact: Thoroughly wash the exposed area with soap and water. Remove contaminated clothing. Launder contaminated clothing before re-use.

Eye Contact: Flush with large amounts of water, lifting upper and lower lids occasionally, get medical attention.

Ingestion: Immediately drink two glasses of water and induce vomiting either by giving ipecac syrup or by placing finger at back of throat. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Inhalation: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped give artificial respiration. Keep person warm, quiet and get medical attention.

SECTION VII – SPECIAL PRECAUTIONS

Respiratory Protection: If work place exposure limit(s) of product or any component is exceeded (see Section II), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control engineering or administrative controls should be implemented to reduce exposure.

SECTION VII – SPECIAL PRECAUTIONS - Continued

<u>Eye Protection:</u>	Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other types of safety glasses (consult your safety equipment supplier).
<u>Ventilation:</u>	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).
<u>Protective Gloves:</u>	Wear resistant gloves such as neoprene.
<u>Other Equipment:</u>	To prevent repeated or prolonged skin contact, wear impervious clothing or boots.

SECTION VIII – ENVIRONMENTAL INFORMATION

Steps to be Taken in Case Material is Released or Spilled:

Small or large spill: Spill should be contained and placed in suitable container for disposal.

Waste Disposal Method: Small or large spill: Dispose of in accordance with all local, state and federal regulations.

The following information may be useful in complying with various state and federal laws and regulations under various environmental statutes:

EPA regulation CFR 302 (CERCLA Section 102): No reportable quantity (RQ) for product or any constituent greater than 1% or 0.1% (carcinogen).

EPA regulation CFR 355 (SARA Section 301-302): No threshold planning quantity for product or any constituent greater than 1% or 0.1% (carcinogen).

EPA regulation 40 CFR 372 (SARA Section 313) No toxic chemical is present greater than 1% or 0.1%(carcinogen).

EPA regulation 40 CFR 370 (SARA Section 311-312) not applicable for product.

SECTION IX – SHIPPING INFORMATION

DOT (49 CFR 172):

One liter or less container: Consumer commodity, ORM-D over one liter container: adhesives, 3, UN1133, II

Bill of lading: Pipe fitting compound, IT 42030

Poison Constituent: None

Marine Pollutant: No

International (UN/NA Code): One liter or less container: Adhesives, 3, UN1133, II, Ltd. Qty. over one liter container: Adhesives, 3, UN1133, II

IMCO: Page 3302 Class 3.3

Disclaimer

The information contained herein is accurate and reliable as of the date issued to the best of the manufacturer's knowledge. ARGCO doesn't warrant or guarantee its accuracy or reliability and shall not be liable for any loss or damage arising from the use thereof. It is the user's responsibility to satisfy itself that the information offered for its consideration is suitable for its particular use.

END OF MATERIAL SAFETY DATA SHEET