

MATERIAL SAFETY DATA SHEET

Super-Weld TL42/ Nutlock

SECTION I – PRODUCT INFORMATION

Distributor's name: Allied Rubber & Gasket Co., Inc. – ARGCO
2610 Commerce Way
Vista, Ca 92081

In case of emergency: 800-424-9300

Date prepared: 1/23/2007

For information call: 800-854-1015

Flammability: Low **Health:** Low **Formula:** Various **Reactivity:** Low **Specific Hazard:** Mild Skin Irritation

SECTION II – HAZARDOUS INGREDIENTS

Hazardous Mixtures of Other Liquids, Solids or Gases

	CAS No.	%	Carcinogenic		
			NTP	IARC	OSHA
Polyglycol Dimethacrylate	25852-47-5	92	no	no	no
Tetraethylene glycol hexoate	18268-70-7	60-70	no	no	no
Silica, amorphous treated	68909-20-6	25-30	no	n/a	no
Saccharin	81-07-2	1-7	no	n/a	no
NN Di-Alkyltoluidine	613-48-9	0.1-1	no	no	no
Cumene Hydro peroxide**	80-15-9	1-3	no	no	no
Ethylene Glycol	107-21-	0.1-0.5	no	no	no
Titanium Dioxide	13463-67-7	1	no	N/A	no

**This component is listed as SARA section 323 toxic chemical

SECTION III – PHYSICAL DATA

Boiling Point: >300°F

Vapor Pressure: 5 (mm Hg)

Vapor Density: 1.01 (Air=1)

Solubility in Water: Insoluble

Appearance and Odor: Blue, Mild Organic Odor

Specific Gravity: 1.09 (H2O=1)

Volatile organic comp: 5.1% 55g/1 ltr

Evaporation Rate: Low

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point: >212 °F. (method used –T.O.C)

Flammable Limits: LEL: N/A UEL: N/A

Extinguishing Media: Carbon Dioxide, Dry Chemical, Water

Special Fire Fighting Procedures: Self-contained breathing apparatus recommended

Unusual Fire and Explosion Hazards: Irritating organic odor

SECTION V – HEALTH HAZARD DATA

Threshold Limit Value: No criteria for measurement. Not yet established.
Effects of Overexposure: Prolonged skin contact may result in dermatitis in sensitive person. Will irritate eyes on contact.
Emergency and First Aid Procedures:
Wash with soap and water for skin contact. For eye contact, flush with plenty of water. For ingestion, do not induce vomiting. Contact physician.

SECTION VI – REACTIVITY DATA

Stability: Stable **Incompatibility (Materials to avoid):** Avoid contamination
Hazardous Decomposition Products: None **Hazardous Polymerization:** May Occur
Conditions to Avoid: Temperatures in excess of 150°F

SECTION VII – SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Soak up with inert absorbent.
Waste disposal method: Landfill or incinerate in accordance with EPA and local regulations

SECTION VIII – SPECIAL PROTECTION INFORMATION

Respiratory Protection (type): None needed for normal use.
Ventilation: Mechanical ventilation not normally required. Ensure adequate room ventilation for comfortable working conditions.
Protective Gloves: Polyethylene or rubber gloves.
Eye Protection: Safety glasses
Other Protective Equipment: Barrier creams recommended.

SECTION IX – SPECIAL PRECAUTIONS

Precautions to be taken in handling and storage: Store in cool dry place and out of direct sunlight
Other Precautions: Keep away from children.

Disclaimer

The information contained herein is accurate and reliable as of the date issued to the best of the manufacture's knowledge. ARGCO doesn't warrant or guarantee its accuracy or reliability and shall not be liable for any loss or damage arising from the use thereof. It is the user's responsibility to satisfy itself that the information offered for its consideration is suitable for its particular use.

END OF MATERIAL SAFETY DATA SHEET